

ACTA PHYSIOLOGICA SCANDINAVICA

EDITORIAL BOARD

Chief Editor

B. Uvnäs *Stockholm*

National Editors

N. A. Thorn *København*

J. Leppäluoto *Oulu*

T. Lømo *Oslo*

B. Fredholm *Stockholm*

Volume 143 1991

Pages 1-459

Published for the

SCANDINAVIAN PHYSIOLOGICAL SOCIETY *by*
BLACKWELL SCIENTIFIC PUBLICATIONS

OXFORD LONDON EDINBURGH BOSTON MELBOURNE
PARIS BERLIN VIENNA

Published for the
Scandinavian Physiological Society by
Blackwell Scientific Publications
Osney Mead, Oxford OX2 0EL
25 John Street, London WC1N 2BL
23 Ainslie Place, Edinburgh EH3 6AJ
3 Cambridge Center, Suite 208, Cambridge,
MA 02142, USA
54 University Street, Carlton, Victoria 3053, Australia
Meinekestrasse 4, D-1000 Berlin 14, West Germany
2 rue Casmir Delavigne, 75005 Paris, France
Feldgasse 13, A-1238 Vienna, Austria

Authorization to photocopy items for internal or personal use, or the internal or personal use of specific clients, is granted by the Scandinavian Physiological Society for libraries and other users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service, provided that the base fee of \$05.00 per copy is paid directly to CCC, 27 Congress Street, Salem, MA 01970, USA. Special requests should be addressed to the Editor. 0001-6772/91 \$05.00.

© 1991 Scandinavian Physiological Society

Printed in Great Britain
by the University Press, Cambridge

Contents

VOLUME 143, NUMBER 1, SEPTEMBER 1991

SJÖSTRÖM, A., ABRAHAMSSON, M., NORRSELL, K., HELGASON, G. & ROOS, A. Flashed pattern induced activity in the visual system: I the short latency evoked response for the cat visual cortex	1
RYDQVIST, B. & SWERUP, C. Stimulus response properties of the slowly adapting stretch receptor neuron of the crayfish	11
SWERUP, C., PURALI, N. & RYDQVIST, B. Block receptor response in the stretch receptor neuron of the crayfish by gadolinium	21
SCHIEPPATI, M., GRITTI, I. & ROMANO, C. Recurrent and reciprocal inhibition of the human monosynaptic reflex shows opposite changes following intravenous administration of acetylcarnitine	27
WIKLUND, N. P., SAMUELSON, U. E. & HAMMARSTRÖM, M. Adenosine modulation of neuroeffector transmission in guinea-pig uterine smooth muscle	33
PERSSON, K., GARCIA-PASCUAL, A. & ANDERSSON, K. E. Difference in the actions of calcitonin gene-related peptide on pig detrusor and vesical arterial smooth muscle	45
HJELMQVIST, H., ULLMAN, J., GUNNARSSON, U., LUNDBERG, J. M. & RUNDGREN, M. Haemodynamic and humoral responses to repeated hypotensive haemorrhage in conscious sheep	55
BELL, L., ZARET, B. L. & RUTLEN, D. L. Influence of α -adrenergic receptor stimulation on splanchnic intravascular volume in conscious humans	65
ØIEN, A. H. & AUKLAND, K. A multinephron model of renal blood flow autoregulation by tubuloglomerular feedback and myogenic response	71
ALVING, K., MATRAN, R. & LUNDBERG, J. M. The possible role of prostaglandin D ₁ in the long-lasting airways vasodilation induced by allergen in the sensitized pig	93
BAHR, R., HØSTMARK, A. T., NEWSHOLME, E. A., GRØNNERØD, O. & SEJERSTED, O. M. Effects of exercise on recovery changes in plasma levels of FFA, glycerol, glucose and catecholamines	105
NYLANDER, O., SABABÌ, M. & BARK, J. Characterization of ⁵¹ Cr-EDTA as a marker of duodenal mucosal permeability	117

Rapid Communications

SUZUKI, H., TSUZIMOTO, H., KASUGA, N., TAGUCHI, S. & ISHIHARA, S. Effect of endurance training on the oxidative enzyme activity of soleus motoneurons in rats	127
YNDGAARD, S., SCHIFTER, S., PERKO, G., MATZEN, S. & SECHER, N. H. Calcitonin gene-related peptide (CGRP) during head-up tilt in man	129
TAKAHASHI, H., WADA, M. & KATSUTA, S. Expressions of myosin heavy chain II _d isoform in rat soleus muscle during hind limb suspension	131
LERNER, U. H. Parathyroid hormone and transforming growth factor β synergistically stimulate formation of prostaglandin E ₂ in neonatal mouse calvarial bones	133
NILSSON, B.-O., ROSENGREN, E. & EKSTRÖM, J. <i>In vivo</i> inhibition of parasympathetic nerve induced increases in ornithine decarboxylase activity of the rat sublingual gland by α -difluoromethylornine	135

ALVING, K., MATRAN, R., FORNHEIM, C. & LUNDBERG, J. M. Late phase bronchial and vascular responses to allergen in actively-sensitized pigs	137
HU, P.-S., JIN, S. & FREDHOLM, B. B. 4-Aminopyridine-induced noradrenaline release from the rat hippocampus depends on the activation of glutamate receptors of the non-NMDA type	139
INSTRUCTIONS TO AUTHORS	141
PROCEEDINGS FOR THE SCANDINAVIAN PHYSIOLOGICAL SOCIETY MEETING IN UPPSALA, 24-26 MAY 1991	

VOLUME 143, NUMBER 2, OCTOBER 1991

DUNNING, B. E., KARLSSON, S. & AHRÉN, B. Contribution of galanin to stress-induced impairment of insulin secretion in swimming mice	145
ISLIN, H., CAPITO, K., HANSEN, S. E., HEDESKOV, C. J. & THAMS, P. Ability of omega-3 fatty acids to restore the impaired glucose tolerance in a mouse model for type-2 diabetes. Different effects in male and female mice	153
NILSSON, B.-O., ROSENGREN, E. & EKSTRÖM, J. Effects of stimulation of the parasympathetic and sympathetic innervations in bursts on the syntheses of polyamines, DNA and protein in salivary glands of the rat: non-adrenergic, non-cholinergic responses	161
EDIN, B. B. The 'initial burst' of human primary muscle spindle afferents has at least two components	169
HATHER, B. M., TESCH, P. A., BUCHANAN, P. & DUDLEY, G. A. Influence of eccentric actions on skeletal muscle adaptations to resistance training	177
SELIGSOHN, E. E. & KOSKINEN, L.-O. D. Effects of alpha ₂ -adrenoceptor blockade and thyrotropin-releasing hormone (TRH) on the cardiovascular system in the rabbit	187
PAULSEN, E. J., PAULSEN, R. H., HAUGEN, T. B., GAUTVIK, K. M. & GORDELADZE, J. O. Regulation of G protein mRNA levels by thyroliberin, vasoactive intestinal peptide and somatostatin in prolactin-producing rat pituitary adenoma cells	195
KUPENOVA, P., VITANOVA, L., MITOVA, L. & BELCHEVA, S. Participation of the GABAergic system of the turtle retina in the light adaptation process	203
FARSTAD, B. S., SUNDREHAGEN, E., OPDAHL, H. & BENESTAD, H. B. Pulmonary, hepatic and splenic sequestration of technetium-99m labelled autologous rabbit granulocytes: scintigraphic cell distributions after intravenous and intraarterial injections, exsanguination and intraarterial injection of cells passed through an intermediary host	211

Rapid Communication

TOKOLA, H., UUSIMAA, P. A., TASKINEN, T., HASSINEN, I. E. & RUSKOAHO, H. Effect of hypoosmolality on atrial natriuretic peptide gene expression in neonatal cultured cardiomyocytes	223
BLOMSTRAND, E., HASSMÉN, P., NEWSHOLME, E. A. Effect of branched-chain amino acid supplementation on mental performance	225

VOLUME 143, NUMBER 3, NOVEMBER 1991

SLØRDAHL, S. A., PIENE, H., LINKER, D. T. & VIK, A. Segmental aortic wall stiffness from intravascular ultrasound at normal and subnormal aortic pressure in pigs	227
HARALDSSON, B., JOHNSON, E. & RIPPE, B. A note on the errors of using venous congestion in intact rats for determinations of microvascular permeability	233

HARALDSSON, B. & RIPPE, B. Upper and lower bounds on capillary permeability ratios of Cr-EDTA to cyanocobalamin in rat hindquarters	239
HEXEBERG, E., MATRE, K., BIRKELAND, S. & LEKVEN, J. Dyssynchrony of segment shortening in the anterior wall of the feline left ventricle	245
LINDAHL, O., BERGH, A., DAMBER, J.-E. & ÅNGQUIST, K.-A. Evaluation of the impression technique by measuring interstitial oedema in rat testis	255
SANTOS, A. A., XAVIER-NETO, J., SANTIAGO, JR, A. T., SOUZA, M. A. N., MARTINS, A. S., ALZAMORA, F. & ROLA, F. H. Acute volaemic changes modify the gastroduodenal resistance to the flow of saline in anaesthetized dogs	261
HALLBÄCK, D.-A., JODAL, M., MANNISCHEFF, M. & LUNDGREN, O. Tissue osmolality in intestinal villi of four mammals <i>in vivo</i> and <i>in vitro</i>	271
EKLUND, T., WAHLBERG, J., UNGERSTEDT, U. & HILLERED, L. Interstitial lactate, inosine and hypoxanthine in rat kidney during normothermic ischaemia and recirculation	279
SOARES-DA SILVA, P. & FERNANDES, M. H. A study on the renal synthesis of dopamine in aged rats	287
HAWLEY, C. M., DUGGAN, K. A., MACDONALD, G. J. & SHELLEY, S. Acute but not chronic gastric sodium administration regulates vasoactive intestinal peptide metabolism by the liver	295
HOLMQVIST, F., STIEF, C. G., JONAS, U. & ANDERSON, K.-E. Effects of the nitric oxide synthase inhibitor N ⁹ -nitro-L-arginine on the erectile response to cavernous nerve stimulation in the rabbit	299
MALM, D., VONEN, B., BURHOL, P. G. & FLORHOLMEN, J. The interaction between cAMP-dependent and cAMP-independent mechanisms in mediating the somatostatin inhibition of insulin secretion in isolated rat pancreatic islets	305
IVERSEN, P. O. & NICOLAYSEN, G. Regional distribution of blood flow and tissue uptake rates of vitamin B ₁₂ and albumin within single rabbit skeletal muscles	311
JENSEN, J. L., BRODIN, P., BERG, T. & AARS, H. Parotid secretion of fluid, amylase and kallikrein during reflex stimulation under normal conditions and after acute administration of autonomic blocking agents in man	321
FRANCO-CERCEDA, A. Resiniferatoxin-, capsaicin- and CGRP-evoked porcine coronary vasodilation is independent of EDRF mechanisms but antagonized by CGRP (8-37)	331
SATCHELL, P. The initiation of non-micturating contractions in the feline bladder	339
ANSVED, T., WALLNER, P. & LARSSON, L. Spatial distribution of motor unit fibres in fast- and slow-twitch rat muscles with special reference to age	345

Rapid Communication

HICKNER, R. C., ROSDAHL, H., BORG, I., UNGERSTEDT, U., JORFELDT, L. & HENRIKSSON, J. Ethanol may be used with microdialysis technique to monitor blood flow changes in skeletal muscle: dialysate glucose concentration is blood-flow-dependent	355
FUXE, K., ÖSTENSON, C. G., AGUIRRE, J. A., EFENDIC, AGERBERTH, B. & MUTT, V. Reserpine treatment increases PEC-60-like immunoreactivity in the substantia nigra of the male rat as determined by radioimmunoassay	357

VOLUME 143, NUMBER 4, DECEMBER 1991

JUEL, C., HONIG, A. & PILEGAARD, H. Muscle lactate transport studied in sarcolemmal giant vesicles: dependence on fibre type and age	361
--	-----

CONSTANTIN-TEODOSIU, D., CARLIN, J. I., CEDERBLAD, G., HARRIS, R. C. & HULTMAN, E. Acetyl group accumulation and pyruvate dehydrogenase activity in human muscle during incremental exercise	367
MALMQVIST, U., ARNER, A. & UVELIUS, B. Mechanics and Ca-sensitivity of human detrusor muscle bundles studied <i>in vivo</i>	373
HENRIKSEN, E. J. & HOLLOSZY, J. O. Effect of diffusion distance on measurement of rat skeletal muscle glucose transport <i>in vitro</i>	381
MATRAN, R., ALVING, K. & LUNDBERG, M. Differential bronchial and pulmonary vascular responses to vagal stimulation in the pig	387
HEMSEN, A., GILLIS, C., LARSSON, O., HAEGERSTRAND, A. & LUNDBERG, J. M. Characterization, localization and actions of endothelins in umbilical vessels and placenta of man	395
CERVIN, A., LINDBERG, S. & MERCKE, U. Sympathetic nerve stimulation influences mucociliary activity in the rabbit maxillary sinus	405
MALM, D., GLÆVER, A., VONEN, B., BURHOL, P. G. & FLORHOLMEN, J. Somatostatin inhibition of phospholipase C activity in isolated rat pancreatic islets	413
VEEL, T., VILLANGER, O., HOLTHE, M. R., SKORTEN, F. S. & RÆDER, M. G. Intravenous bilirubin infusion causes vacuolization of the cytoplasm of hepatocytes and canalicular cholestasis	421
BUGGE, J. F., STOKKE, E. S. & KIHIL, F. Effects of bradykinin and papaverine on renal autoregulation and renin release in the anaesthetized dog	432
ZOPPI, M., VOEGELIN, M. R., SIGNORINI, M. & ZAMPONI, A. Pain threshold changes by skin vibratory stimulation in healthy subjects	439
<i>Rapid Communications</i>	
GÜR, H. & LARSSON, L. Regional differences in the influence of the interval between removal and freezing of muscle samples on muscle fibre size	445
MEISTER, B., HOLGERT, H., APERIA, A. & HÖKFELT, T. Dopamine D1 receptor mRNA in rat kidney: localization by <i>in situ</i> hybridization	447
WEITZBERG, E., RUDEHILL, A., ALVING, K. & LUNDBERG, J. M. Nitric acid inhalation selectively attenuates pulmonary hypertension and arterial hypoxia in porcine endotoxin shock	451
AUTHOR AND SUBJECT INDEX	453

